

## Spanish Adaptation of The Working Alliance Inventory (WAI)

### Clinical Study

Sample:  $N=36$  dyads (36 patients; 21 therapists)

### Results of Reliability

Table 4.39

*Means, SD and reliability (internal consistency after the 3<sup>th</sup> session of psychotherapy) of the patient and therapist versions of the Spanish Adaptation of The Working Alliance Inventory (36 ratings)*

	Spanish WAI-P				Spanish WAI-T		
	<i>M</i>	<i>SD</i>	$\alpha$		<i>M</i>	<i>SD</i>	$\alpha$
Bond	74,11	9,97	0,93	Bond	71,78	7,69	0,86
Goal	70,69	11,49	0,90	Goal	62,97	10,85	0,93
Task	71,17	10,98	0,89	Task	64,75	8,64	0,90
Total	215,97	30,89	0,96	Total	199,50	25,91	0,96

Table 4.40

*Reliability (temporal stability between 3<sup>th</sup> - 10<sup>th</sup> session of psychotherapy) of the patient and therapist versions of the Spanish Adaptation of The Working Alliance Inventory (36 ratings)*

Spanish WAI-P		Spanish WAI-T	
	$r_{x1x2}$		$r_{x1x2}$
Bond	0,81**	Bond	0,89**
Goal	0,79**	Goal	0,77**
Task	0,72**	Task	0,67**
Total	0,79**	Total	0,81**

Note. \*\*  $p < 0,01$ .